

## MONO CRYSTALLINE - SHINGLED CELL TECHNOLOGY

400 / 405 / 410 / 415 / 420 / 425 Watts

# Puma Series



# **Superior Performance and Reliability**

Shingled technology eliminates traditional ribbon connection with shingles connected in series. By removing the soldered ribbons, the active area of the module is improved and thermal stresses are reduced – resulting in exceptional efficiency and reliability over standard interconnections.

# **Key Benefits**



Higher yield per surface area



Higher yield in hot climate



Low LCOE



Low Pmax Temperature Coefficient



25 Years Limited Product Warranty



Low Resistive Losses





Outstanding performance under extreme heat as well as low intensity solar radiation

## **Pmax**

Significantly low Pmax thermal coefficient



Positive Tolerance




100 % electroluminescence tested

## Tests, Certifications and Warranties

Standard Tests	IEC 61215, IEC 61730				
Factory Quality Tests	ISO 9001: 2015, ISO 14001: 2015				
Certifications	Conformity to CE, PV CYCLE				
Insurance	Third party liability insurance provided by Liberty Mutual				
Wind and Snow Loads Testing	Module certified to withstand extreme wind (2400 Pascal) and snow loads (5400 Pascal)				
Withstanding Hail	Maximum Diameter of 25 mm with impact speed of 23 m/s				
Power Tolerance	Guaranteed +0/+5W (STC condition)				
Warranties	<ul> <li>25-year limited product warranty</li> <li>15-year manufacturer warranty on 91.84% of the nominal performance</li> <li>25-year transferable linear power output warranty</li> </ul>				

## Linear Performance Warranty



First Year Output

**≥ 98.0%** 

2-25 Year Decline

Year ≤ **0.44**%

25 Year Output

≥ 87.44%



## Puma

# MONO CRYSTALLINE - SHINGLED CELL TECHNOLOGY

RCM-xxx-SMD2 (xxx=400-425)

## **Electrical Characteristics**


POWER CLASS (1)			400		405		410		415		420		425	
Testing Condition			STC	NMOT	STC	NMOT	STC	NMOT	STC	NMOT	STC	NMOT	STC	NMOT
Maximum Power	Pmax	[Wp]	400	301	405	305	410	309	415	312	420	316	425	320
Maximum Power Voltage	Vmp	[V]	34,2	32,6	34,3	32,7	34,4	32,8	34,4	32,8	34,5	32,9	34,6	33,0
Maximum Power Current	lmp	[A]	11,71	9,24	11,82	9,33	11,93	9,41	12,08	9,53	12,19	9,62	12,30	9,70
Open Circuit Voltage	Voc	[V]	41,2	39,3	41,3	39,4	41,4	39,5	41,5	39,6	41,6	39,7	41,7	39,8
Short Circuit Current	Isc	[A]	12,41	10,00	12,53	10,09	12,65	10,19	12,80	10,31	12,92	10,41	13,03	10,50
Module Efficiency	Eff	[%]	20	0,1	20	),4	20	),6	20	),9	2	,1	21	,4
Maximum Series Fuse	<b>I</b> R	[A]	25											
Maximum System Voltage	Vsys	[V]	1.500 VDC (IEC)											

<sup>(1)</sup> Measurement Tolerances: Pmax (± 3%), Isc & Voc (± 3%) - Power Classification 0/+5W

#### Mechanical Data

Dimensions	1812mm x 1096m x 30mm
Weight	20.8 Kg
Cell Type	PERC Mono-210 x 30mm - 305 pcs - G12
Front Glass	3.2mm Tempered and low iron glass + ARC
Backsheet	Anti-aging film (Black)
Frame	Anodized Aluminium Alloy (Black)
Junction Box	IP68 - 2 bypass diodes
Connector	MC4 compatible
Cable	4.0mm <sup>2</sup> - V=(+) 300mm (-) 1000mm; H=(+) 220mm (-) 180mm or can be customized


## Dimensions



RECOM assumes no liability or responsibility for any typographical error, layout error, misinformation, any other error, omission, contained herein.

## I-V Curve

The module relative power loss at low light irradiance of 200W/m² is less than 3%.



## **Temperature Characteristics**

Pmax Temperature Coefficient	-0.34% / °C
Voc Temperature Coefficient	$-0.27\%$ / $^{0}$ C
Isc Temperature Coefficient	$+0.04\% / {}^{0}C$
Operating Temperature	$-40 \sim +85  {}^{0}\text{C}$
(NMOT) Nominal Module Operating Temperature	$42.3 \pm 2^{\circ}\text{C}$

## **Packing Configuration**

Container	40°HC
Pieces per Pallet	36 / 30
Pallets per Container	24 + 2
Pieces per Container	$(36 + 36) \times 12 + (30 + 30) = 924 \text{ pcs}$

<sup>(2)</sup> STC (Standard Testing Condition): Irrandiance 1000W/m², Cell Temperature 25°C, AM 1.5

<sup>(3)</sup> NMOT (Nominal Operating Module Temperature): Irrandiance 800W/m², NMOT, Ambient Temperature 20°C, AM 1.5, Wind Speed 1m/s